Part Number : 1301350219
Product Description : Super-Safeway GFCI Multiple Outlet Box with Ground Continuity Monitor, Open Neutral Relay, (2) NEMA 5-20 Duplex with Flip Lids, 0.305m (1.0') Cord Length, 12/3 SOOW Cord, NEMA 5-20 Plug
Series Number : 130135
Status : Planned for Obsolescence
Product Category : Power Distribution
Engineering Number : 32GM20E123



## Documents & Resources

## Product Environment Compliance

### Compliance

| | |
|---|---|
| GADSL/IMDS | Product not active |
| China RoHS | Product not active |
| EU ELV | Product not active |
| Low-Halogen Status | Product not active |
| REACH SVHC | Product not active |
| EU RoHS | Product not active |

Multiple Part Product Compliance Statements
- Eu RoHS
- REACH SVHC
- Low-Halogen

Multiple Part Industry Compliance Documents
- IPC 1752A Class C
- IPC 1752A Class D
- Molex Product Compliance Declaration
- IEC-62474
- chemSHERPA (xml)

EU RoHS Certificate of Compliance

## Part Details

## General

| | |
|---|---|
| Status | Planned for Obsolescence |
| Category | Power Distribution |
| Series | 130135 |
| Description | Super-Safeway GFCI Multiple Outlet Box with Ground Continuity Monitor, Open Neutral Relay, (2) NEMA 5-20 Duplex with Flip Lids, 0.305m (1.0') Cord Length, 12/3 SOOW Cord, NEMA 5-20 Plug |
| Enclosure Rating | NEMA 4 |
| NEMA Configuration | NEMA 5-20 |
| Product Name | Super-Safeway |
| Type | GFCI Multiple Outlet Box |
| UPC | 78678876132 |

## Electrical

| | |
|---|---|
| Current - Maximum per Contact | 20.0A |
| GFCI | Yes |
| GFCI Reset | Manual |
| Ground Continuity Monitor | Yes |
| Open Neutral Relay | Yes |
| Voltage - Maximum | N/A |

## Physical

| | |
|---|---|
| Cord Diameter | 15.24mm (.600") |
| Cord Grip Body Size | F3 3/4" |
| Cord Length | 0.305m (1.0') |
| Cord Type | 12/3 SOOW |
| Feed-Thru | No |
| Flip Lid | Yes |
| Material - Housing | Rubber |
| Mounting Style | Portable |
| Number of Receptacles | 2 |
| Packaging Type | Carton |
| Receptacle Type | Duplex |