Part Number : 1301350343
Product Description : Super-Safeway Angled GFCI Outlet Box, Feed-Thru, F3 (3/4") Cord Grip Body, Including NEMA 5-15 GFCI & L5-15 Duplex Receptacles with Flip Lids and L5-15 Plug, 1.83m (6.0') Cord Length, 12/3 SOOW Cord & Cont. Monitor
Series Number : 130135
Status : New Business Not Supported
Product Category : Power Distribution
Engineering Number : 3323FL123



Documents & Resources

Product Environment Compliance

Compliance

China RoHS	Not Reviewed
EU ELV	Not Reviewed
Low-Halogen Status	Not Reviewed
REACH SVHC	Not Reviewed
EU RoHS	Not Reviewed

Multiple Part Product Compliance Statements
- Eu RoHS
- REACH SVHC
- Low-Halogen

Multiple Part Industry Compliance Documents
- IPC 1752A Class C
- IPC 1752A Class D
- Molex Product Compliance Declaration
- IEC-62474
- chemSHERPA (xml)

EU RoHS Certificate of Compliance

Part Details

General

Status	New Business Not Supported

Category	Power Distribution
Series	130135
Description	Super-Safeway Angled GFCI Outlet Box, Feed-Thru, F3 (3/4") Cord Grip Body, Including NEMA 5-15 GFCI & L5-15 Duplex Receptacles with Flip Lids and L5-15 Plug, 1.83m (6.0') Cord Length, 12/3 SOOW Cord & Cont. Monitor
Enclosure Rating	NEMA 4
NEMA Configuration	NEMA L5-15
Product Family	Outlet Boxes
Product Name	Super-Safeway
Type	Angled GFCI Outlet Box
UPC	78172504775

Electrical

Current - Maximum per Contact	15.0A
GFCI	Yes
GFCI Reset	Manual
Ground Continuity Monitor	Yes
Open Neutral Relay	No
Voltage - Maximum	120V

Physical

Cord Diameter	15.24mm (.600")
Cord Grip Body Size	F3 3/4"
Cord Length	1.83m (6.0')
Cord Type	12/3 SOOW
Feed-Thru	Yes
Flip Lid	Yes
Material - Housing	Rubber
Mounting Style	Portable
Number of Receptacles	2
Packaging Type	Carton
Receptacle Type	GFCI Duplex