Part Number : 585500001
Product Description : HMC Rectangular Industrial End Bell Cap Assembly, PG29, 17.00-21.00mm dia. Wire Size, Brown Bush, for External Threaded Hoods
Series Number : 58550
Status : Planned for Obsolescence
Product Category : I/O Connectors



## Documents & Resources

## Product Environment Compliance

### Compliance

| | |
|---|---|
| GADSL/IMDS | Product not active |
| China RoHS | Product not active |
| EU ELV | Product not active |
| Low-Halogen Status | Product not active |
| REACH SVHC | Product not active |
| EU RoHS | Product not active |

Multiple Part Product Compliance Statements
- Eu RoHS
- REACH SVHC
- Low-Halogen

Multiple Part Industry Compliance Documents
- IPC 1752A Class C
- IPC 1752A Class D
- Molex Product Compliance Declaration
- IEC-62474
- chemSHERPA (xml)

EU RoHS Certificate of Compliance

## Part Details

### General

| | |
|---|---|
| Status | Planned for Obsolescence |

| | |
|---|---|
| Category | I/O Connectors |
| Series | 58550 |
| Description | HMC Rectangular Industrial End Bell Cap Assembly, PG29, 17.00-21.00mm dia. Wire Size, Brown Bush, for External Threaded Hoods |
| Application | Panel-Mount, Wire-to-Wire |
| Component Type | Bell Cap Assembly |
| Product Family | HMC Heavy Duty Rectangular Connectors |
| Product Name | HMC |
| Type | N/A |
| UPC | 800753502185 |

## Electrical

| | |
|---|---|
| Current - Maximum per Contact | 2.5A |
| Shielded | No |
| Voltage - Maximum | 250V AC (RMS)/DC |

## Physical

| | |
|---|---|
| Boot Color | N/A |
| Circuits (Loaded) | N/A |
| Durability (mating cycles max) | 50 |
| Gender | N/A |
| Lock to Mating Part | Yes |
| Material - Plating Mating | N/A |
| Orientation | Vertical |
| Packaging Type | Bag |
| Panel Mount | N/A |
| PCB Locator | No |
| Pitch - Mating Interface | N/A |
| Polarized to Mating Part | N/A |
| Polarized to PCB | N/A |
| Temperature Range - Operating | -55° to +105°C |
| Termination Interface Style | N/A |
| Waterproof / Dustproof | No |