PROT-M12 MS-PA-CHAIN-EYE-DM14 - Sealing cap

1456200

https://www.phoenixcontact.com/us/products/1456200

Please be informed that the data shown in this PDF document is generated from our online catalog. Please find the complete data in the user documentation. Our general terms of use for downloads are valid.



M12 sealing cap with fixing band, for free M12 sockets with 14.5 mm fastening eye

Commercial data

Item number	1456200
Packing unit	5 pc
Minimum order quantity	5 pc
Sales key	AB28
Product key	ABQZAA
Catalog page	Page 55 (C-2-2019)
GTIN	4046356605724
Weight per piece (including packing)	3.612 g
Weight per piece (excluding packing)	3.612 g
Customs tariff number	39235090
Country of origin	DE

Technical data

Notes

General	Not suitable for M12 sockets with K, L, or M coding

Product properties

Product type	Protective cap
Thread type	M12

Data management status

Article revision	00

Material specifications

Material	PA 6.6 GF
	PUR (Holding band)
Flammability rating according to UL 94	V0
Seal material	NBR

Environmental and real-life conditions

Ambient conditions

Degree of protection	IP67
Ambient temperature (operation)	-25 °C ... 85 °C

Classifications

ECLASS

ECLASS-11.0	27440208
ECLASS-12.0	27440208
ECLASS-13.0	27440208

ETIM

ETIM 9.0	EC002314

UNSPSC

UNSPSC 21.0	39121400

Environmental product compliance

EU RoHS

Fulfills EU RoHS substance requirements	Yes, No exemptions

China RoHS

Environment friendly use period (EFUP)	EFUP-E
	No hazardous substances above the limits

EU REACH SVHC

REACH candidate substance (CAS No.)	No substance above 0.1 wt%

Phoenix Contact 2024 © - all rights reserved
https://www.phoenixcontact.com

Phoenix Contact USA
586 Fulling Mill Road
Middletown, PA 17057, United States
(+717) 944-1300
info@phoenixcon.com