Product data sheet

Specifications



LXM28 STO connection cable 2m

VW3M1C20R20

Product availability: Stock - Normally stocked in distribution facility

Main

Range of Product	Lexium 28
Product or Component Type	Safe torque off cable
Accessory / Separate Part Type	Preassembled STO cordset
Accessory / separate part category	Connection accessories
Product compatibility	Servo drive LXM28
Accessory / separate part destination	Between servo drive and logic controller
Range Compatibility	Lexium 28
Cable length	6.6 ft (2 m)

Complementary

Electrical connection	Connector - Molex 4-pin servo drive side Free end CN9 interface
Net Weight	0.4 lb(US) (0.2 kg)

Ordering and shipping details

Category	US1PC5118264
Discount Schedule	PC51
GTIN	3606480736049
Returnability	Yes
Country of origin	TN

Packing Units

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	0.39 in (1.000 cm)
Package 1 Width	11.22 in (28.500 cm)
Package 1 Length	11.42 in (29.000 cm)
Package 1 Weight	4.339 oz (123.000 g)
Unit Type of Package 2	S02
Number of Units in Package 2	15
Package 2 Height	5.91 in (15.000 cm)
Package 2 Width	11.81 in (30.000 cm)

Price is “List Price” and may be subject to a trade discount – check with your local distributor or retailer for actual price.

Disclaimer: This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications

Package 2 Length	15.75 in (40.000 cm)
Package 2 Weight	4.751 lb(US) (2.155 kg)

Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing “Use Better, Use Longer, Use Again” campaign to extend product lifetimes and recyclability.

Environmental Data explained >

How we assess product sustainability >

Use Better

Materials and Substances

EU RoHS Directive	**Pro-active compliance (Product out of EU RoHS legal scope)**
REACh Regulation	**REACh Declaration**
China RoHS Regulation	**China RoHS declaration**
California proposition 65	**WARNING: This product can expose you to chemicals including: Lead and lead compounds, which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov**
PVC free	**Yes**

Use Again

Repack and remanufacture

Take-back	**No**