
BACKLIGHT
ICSP
PIC USB Backpack
CONTRAST


BACKLIGHT
ICSP
PIC USB Backpack
CONTRAST


PIC USB Backpack
ICSP
CONTRAST





USB and serial enabled LCD backpack

SKU 105990004 Read all reviews

OUT OF STOCK
This item is not available at the moment
Get notified when it's back in stock

Description

USB and serial backpack for simple HD44780 character LCD screens. A few nice features set it apart from the usual serial-only LCD backpacks:

USB and serial control of characters LCDs

Supported in common software (LCD Smartie) as 'matrix orbital' display

Adjust backlight from software

Couple extra pins for buttons

500mA fuse

USB upgradable

Open source (CC BY-SA)

Resources

Manual

Forum

Techsupport

This product is designed by Dangerous, If you encounter any problems when using this product, please request technical support in the forum.

Technical Details

Dimensions	66mm x 66mm x 8mm
Weight	G.W 9g
Battery	Exclude

ECCN/HTS

ECCN	Not Available
HSCODE	9013902000

Reviews

September 09,2017 by ivansk66 — Was this review helpful ? 0

September 06,2017 by Anonymous User — Was this review helpful ? 0

Questions and Answers

Have a question about this? Ask people who

0 Can it be used with I2C and not with USB ? If yes, which are pins of Serial Data and Serial Clock ?

on Oct 19,2016 Reply upvote (0)

Hi there , please read the AT command , and you need to add a line break character behind the command.

Deray Wu on Oct 20,2016 10:42 AM Reply upvote (0)

0

HELLO,IS IS POSSIBLE TO ONLY GET BARE PCBs FOR USB and serial enabled LCD backpack ?IF SO WHAT WOULD BE THE PRICE FOR A QUANTITY OF 10 P.C.BOARDS, AND THE SHIPPING HANDLING CHARGES.THANKS.

aelectron on Oct 19,2016 Reply upvote (0)

Hi, this product is coming from DangerousPrototypes.com. We only sell the fully assembled version. You can send your demand to the DangerousPrototypes'forum to see if you can get some bare PCB

Steve Chang on Oct 20,2016 10:40 AM Reply upvote (0)

Why would MY SoftwareSerial library be any different than YOUR SoftwareSerial library? Have you tested the specific combination of boards that I listed above with Arduino 1.0.1 and your example code. They are all your boards, your code, and they are al

Edward Van Every on Oct 20,2016 10:42 AM Reply upvote (0)

USB and serial enabled LCD backpack

SKU 105990004

Read all 2reviews

OUT OF STOCK

This item is not available at the moment

Get notified when it's back in stock

Description
Technical Details
Reviews
Questions and Answers

‹ ›

✖

✖
Notify me when it's back in stock
Please enter a valid email
SUBMIT
^

POPULAR SEARCHES

PCB Manufacturing | PCB Assembly | PCB Layout | 3D Printing | PCB Stencil | Lora | ReSpeaker | Grove | Lidar | GPS | Can-Bus | Arduino | Arduino Shield | Beaglebone | Raspberry Pi | FPGA | LinkIt ONE | Crazyflie 2.0 | Raspberry Pi 3 Model B | RF Explorer | DSO Nano v3 | HiKey | rplidar | raspberry pi relay | RPLIDAR A2

© 2008-2018 Seeed Technology Co.,Ltd. All rights reserved.

PayPal VISA
Select Language
Contact Support