SIEMENS

## Data sheet 3RW5955-0PY26

TSE PCB 690 V for 3RW55, Size 5




Figure similar

| | |
|---|---|
| **product designation** | Printed circuit board |
| **design of the product** | 690 V |
| **manufacturer's article number** | |
| ● of soft starter | 3RW555.-.HA.6 |
| **Substance Prohibitance (Date)** | 10/21/2019 |
| **Ambient conditions** | |
| ambient temperature during storage | -40 ... +80 °C |

**Certificates/ approvals**

| General Product Approval | For use in hazard-ous locations | Declaration of Conformity | | Test Certificates |
|---|---|---|---|---|
| Confirmation | Explosion Protection Certificate | | | Type Test Certific-ates/Test Report |

| Marine / Shipping | | | | other |
|---|---|---|---|---|
| ABS | LRS | PRS | | Confirmation |

**Further information**

**Siemens has decided to exit the Russian market (see here).**
https://press.siemens.com/global/en/pressrelease/siemens-wind-down-russian-business
**Siemens is working on the renewal of the current EAC certificates.**
Please contact your local Siemens office on the status of validity of the EAC certification if you intend to import or offer to supply these products to an EAC relevant market (other than the sanctioned EAEU member states Russia or Belarus).
**Information on the packaging**
https://support.industry.siemens.com/cs/ww/en/view/109813875
**Information- and Downloadcenter (Catalogs, Brochures,…)**
https://www.siemens.com/ic10
**Industry Mall (Online ordering system)**
https://mall.industry.siemens.com/mall/en/en/Catalog/product?mlfb=3RW5955-0PY26
**Cax online generator**
http://support.automation.siemens.com/WW/CAXorder/default.aspx?lang=en&mlfb=3RW5955-0PY26
**Service&Support (Manuals, Certificates, Characteristics, FAQs,...)**
https://support.industry.siemens.com/cs/ww/en/ps/3RW5955-0PY26
**Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, EPLAN macros, ...)**
http://www.automation.siemens.com/bilddb/cax_de.aspx?mlfb=3RW5955-0PY26&lang=en
**Characteristic: Tripping characteristics, I²t, Let-through current**
https://support.industry.siemens.com/cs/ww/en/ps/3RW5955-0PY26/char
**Characteristic: Installation altitude**


Subject to change without notice
© Copyright Siemens

http://www.automation.siemens.com/bilddb/index.aspx?view=Search&mlfb=3RW5955-0PY26&objecttype=14&gridview=view1
**Simulation Tool for Soft Starters (STS)**
https://support.industry.siemens.com/cs/ww/en/view/101494917

---

**last modified:** 1/18/2021


Subject to change without notice
© Copyright Siemens

Subject to change without notice
© Copyright Siemens