• Revised •
03/20/2012

Accessories and spare parts

Selection and ordering data

	Version	Suitable for	Color	Order no.	List Price $
	**Flush actuator lens cap**	For flush type, non-illuminated pushbuttons bag of 20 caps	black	**52RA1A1**	
			red	**52RA1A2**	
			green	**52RA1A3**	
			yellow	**52RA1A4**	
			blue	**52RA1A5**	
			gray	**52RA1A6**	
			orange	**52RA1A8**	
			kit- all colors	**52RA1AN**	
	**Extended actuator lens cap**	For extended type, non-illuminated pushbuttons bag of 20 caps	black	**52RA1B1**	
			red	**52RA1B2**	
			green	**52RA1B3**	
			yellow	**52RA1B4**	
			blue	**52RA1B5**	
			gray	**52RA1B6**	
			orange	**52RA1B8**	
			1 of each color cap	**52RA1BN**	
	**Mushroom head cap - Plastic**	For large 2 1/2"(63.5mm) type, set screw non-illuminated mushroom pushbuttons	black	**52RB3E1**	
			red	**52RB3E2**	
			green	**52RB3E3**	
			yellow	**52RB3E4**	
			blue	**52RB3E5**	
			gray	**52RB3E6**	
			orange	**52RB3E8**	
			1 kit of each color cap	**52RB3EN**	
		For small 1 5/8"(41.3mm) type, non-illuminated mushroom pushbuttons	black	**52RB3D1**	
			red	**52RB3D2**	
			green	**52RB3D3**	
			yellow	**52RB3D4**	
			blue	**52RB3D5**	
			gray	**52RB3D6**	
			orange	**52RB3D8**	
			1 of each color cap	**52RB3DN**	
	**Mushroom head cap - Metal**	For small 1 5/8"(41.3mm) type, set screw non-illuminated mushroom pushbuttons	chrome	**52RB3FC**	
			red	**52RB3F2**	
			green	**52RB3F3**	
	**Replacement Lens for Indicator Lights**	For catalog numbers starting with 52PL or 52BL①②			
		Plastic	red	**52RA4S2**	
			green	**52RA4S3**	
			blue	**52RA4S5**	
			amber	**52RA4S9**	
			clear	**52RA4SA**	
			white	**52RA4SB**	
			1 of each color	**52RA4SN**	
		Glass	red	**52RA4T2**	
			green	**52RA4T3**	
			blue	**52RA4T5**	
			amber	**52RA4T9**	
			clear	**52RA4TA**	
			white	**52RA4TB**	
			1 of each color	**52RA4TN**	
	**Replacement Lens forPush to Test/Illuminated Pushbuttons**	For catalog numbers starting with 52PT or 52BT②③			
		Plastic	red	**52RA5S2**	
			green	**52RA5S3**	
			blue	**52RA5S5**	
			amber	**52RA5S9**	
			clear	**52RA5SA**	
			white	**52RA5SB**	

① To order replacement lens for indicator lights starting with 52PA, 52PE, or 52PX, change the 6th digit to P for plastic and G for glass.

② It is possible to retrofit catalog numbers starting with 52PA, 52PE and 52PX with the replacement lens. The new lens have concentric ribs for improved light distribution.

③ To order replacement lens for push to test / illuminated pushbuttons starting with 52PA, 52PE, or 52PX, change the 6th digit to a P.

Selection and ordering data

	Version	Suitable for	Color	Order no.	List Price $
	Mushroom head push pull illuminated plastic	For small 1 3/4" type, push-pull units	red	**52RC3JR**	
			green	**52RC3JS**	
			amber	**52RC3JT**	
		For large 2 1/2" type, push-pull units	red	**52RC3KR**	
			green	**52RC3KS**	
			amber	**52RC3KT**	
	**Mushroom head push pull illuminated metal**	Chrome, for small 1 3/4" type, push-pull units	red	**52RB3H2**	
			green	**52RB3H3**	
			amber	**52RB3H9**	
			white	**52RB3HB**	
		BlackMax, for small 1 3/4" type, push-pull units	red	**52RX3H2**	
			green	**52RX3H3**	
			amber	**52RX3H9**	
			white	**52RX3HB**	
	**Mushroom head push pull non-illuminated plastic**	For small 1 3/4" type, push-pull units (catalog numbers starting with 52PP or 52BP)①	black	**52RC3D1**	
			red	**52RC3D2**	
			green	**52RC3D3**	
			yellow	**52RC3D4**	
			blue	**52RC3D5**	
			gray	**52RC3D6**	
			orange	**52RC3D8**	
			1 of each color	**52RC3DN**	
		For large 2 1/2" type, push-pull units (catalog numbers starting with 52PP or 52BP)①	black	**52RC3E1**	
			red	**52RC3E2**	
			green	**52RC3E3**	
			yellow	**52RC3E4**	
			blue	**52RC3E5**	
			gray	**52RC3E6**	
			orange	**52RC3E8**	
			1 of each color	**52RC3EN**	
	Mushroom head push pull non-illuminated metal	For small 1 3/4" type, push-pull units (catalog numbers starting with 52PP or 52BP)①	red	**52RC3F2**	
			green	**52RC3F3**	
			chrome	**52RC3FC**	
	**Twist to release head illuminated plastic**	For small twist to release units	red	**52RC3RR**	
			green	**52RC3RS**	
			amber	**52RC3RT**	
	**Twist to release head non-illuminated plastic**	For small twist to release units	red	**52RC3R2**	
			green	**52RC3R3**	
			yellow	**52RC3R4**	
	**Replacement lens kit for Illuminated selector switches (Knob with Insert)**		red	**52RA6P2**	
			green	**52RA6P3**	
			blue	**52RA6P5**	
			amber	**52RA6P9**	
			clear	**52RA6PA**	
			white	**52RA6PB**	
	**Lever inserts Short lever**		red	**52RA2A2**	
			green	**52RA2A3**	
			yellow	**52RA2A4**	
			blue	**52RA2A5**	
			gray	**52RA2A6**	
			orange	**52RA2A8**	
			white	**52RA2AB**	
	**Long lever**		red	**52RA2B2**	
			green	**52RA2B3**	
			yellow	**52RA2B4**	
			blue	**52RA2B5**	
			gray	**52RA2B6**	
			orange	**52RA2B8**	
			white	**52RA2BB**	

① For push-pull units whose catalog numbers that start with 52PX, 52PA or 52PE, replacement heads are available. Order from the 52RB type "Mushroom head pushbutton cap" section on page 10/158.

Accessories and spare parts

Selection and ordering data

	Version	Suitable for	Color	Order no.	List Price $
	**Protective boot** Offers protection from ice and foreign substances from interfering with button operation	Flush pushbutton operations	clear black	**52AABA** **52AAB1**	
	**Guards** Prevents accidental operation	Non-illuminated basic pushbuttons	chrome blackmax	**52AAGP** **52AXGP**	
		1 5/8" mushroom pushbuttons, 1 3/4" push-pull units①, and twist to release units	chrome blackmax	**52AAGM** **52AXGM**	
		Push to test/illuminated pushbutton and indicator lights	chrome blackmax	**52AAGL** **52AXGL**	
	**EMERGENCY-STOP Lock Out**	Class 52 Illuminated Mushroom Head Pushbuttons; 304 Stainless Steel	chrome (304 SS)	**52AALE**	
	EMERGENCY-STOP Backing Ring	Yellow 90mm E-STOP Backing Ring		**52AAR**	
	**Locknuts** Replacement front ring	Non-illuminated basic pushbuttons	chrome blackmax	**52AANP** **52AXNP**	
		Non-illuminated mushroom pushbuttons	chrome blackmax	**52AANL** **52AXNL**	
		Push-pull and twist-to-release units (only for push-pull units starting with 52PP or 52BP)②	chrome blackmax	**52CANP** **52CXNP**	
		Indicator Lights	blue amber	**52AANL** **52AXNL**	
		Selector switches	chrome blackmax	**52AANS** **52AXNS**	
	Mounting Accessories	Class 52 Trim Washer Kit (Set of 10 pcs) Class 52 Washer Kit (Include 2-Neoprene Gaskets, 1-Trim Washer, 1-Index Locking Ring (chrome)	chrome	**52AAQ** **52AAD**	
	Padlock attachments	Non-illuminated basic pushbuttons	flush extended	**52AALA** **52AALB**	
	**Padlock cover** Lock devices in off position	Pushbuttons, selector switches, and non-illuminated mushroom heads		**52AALS**	
	**Lock nut wrench**	All devices		**52MAWB**	
	**Hole plugs**		corrosion resistant steel, grey stainless steel	**52AAH6** **52ABH6** **52ABHS**	
	Spare keys (Kit includes 1 Key)	Class 52 Standard Keyed Selector Switch.	501CH	**52KEY-501CH**	
		Keyed Selector Switch ordered with Suffix X302.	506CH	**52KEY-506CH**	
		Keyed Selector Switch ordered with Suffix X301.	547CH	**52KEY-547CH**	
		Keyed Selector Switch ordered with Suffix X300.	548CH	**52KEY-548CH**	
		Keyed Selector Switch ordered with Suffix X299.	549CH	**52KEY-549CH**	
		Keyed Selector Switch ordered with Suffix X298.	550CH	**52KEY-550CH**	
	Grounding kit	All devices		**52AL109145**	
	Touchsafe contact blocks with gold flashing				
 52 BAJ	1 NO			**52BAK**	
	1 NC			**52BAJ**④	
	1 NO - 1 NC			**52BJK**④	
 52 BAK	1 NO early make	closes before 52BAK		**52BAH**	
	1 NC late break	opens after 52 BAJ		**52BAE**	
	1 NO - 1 NC	Reed switch; UL listed for class 1 division 2; .25A Max, 200V AC, 10 Watt max .5A Max, 200V DC, 10 Watt max		**52BAR**③	
 52 BAR	1 NC extra late break			**52BAU**	

① These can also be used with the 1 5/8" push-pull devices.
② For push-pull units starting with part numbers 52PA, 52PE or 52PX, replacement locknuts can be ordered using 52AANL (Chrome) and 52AXNL (BlackMax).
③ Hermetically Sealed
④ ⊕ Positive opening according to IEC 60947-5-1, Appendix K.

Technical Specifications on page 10/169A

Selection and ordering data

Version	Suitable for	Lamp voltage	Color	Order no.	List Price $
Lamps with screw connection, miniature bayonet (BA 9s style)					
Incandescent lamps,					
Flashing, type 267 lamp (replaces 755 lamp)	51, 52	6 V		**52AABNF**	
6V type 755 lamp (Rated 150 mA)	51, 52	6 V		**52AABN**	
12V type 756 (Rated 80 mA)	51, 52	12 V		**52AACN**	
24V type 757 (Rated 80 mA)	51, 52	24 V		**52AADN**	
48V, 2W	52	48 V		**3SB1902-1AP**	
60V, 2W	52	60 V		**3SR9424**	
120V, 2.5W, type #120MB (Rated 250 mA)	52	120 V		**52AAENC1**	
Neon (uses resistors) type B2A (NE-51H)	52	120 V		**52AAPN**	
Candelabra, 120V, 3W, Full voltage type 3S6/5	52 older revision styles	120 V		**52AAENC**	
LED bulbs					
LED, BA9s type (Rated 15 mA)	Class 52	6 V AC 24 V AC/DC 120 V AC		**52AEB□** **52AED□** **52AEE□**	
LED, cluster type (Rated 0.5W)	Class 52	6 V AC 24 V AC 120 V AC 120 V DC		**52AEB□7** **52AED□7** **52AEE□7** **52AEV□7**	
LED lighting module with integrated LED.					
Single LED (Rated 35 mA Maximum)	Class 52	24 V AC/DC 120 V AC 240 V AC		**52AAIL□** **52AAIM□** **52AAIN□**	
Full voltage lighting module accessory with BA9s type lamp					
Single LED	Class 52	6 V AC 24 V AC/DC 120 V AC		**52AAFB□B** **52AAFD□B** **52AAFE□B**	
Cluster LED	Class 52	6 V AC 24 V AC 120 V AC		**52AAFB□Y** **52AAFD□Y** **52AAFE□Y**	
Incandescent bulb	Class 52	6 V AC/DC 24 V AC/DC 120 V AC		**52AAFB** **52AAFD** **52AAFE**	
Transformer lighting module accessory with BA9s type lamp					
Single LED	Class 52	120 V AC 240 V AC 480 V AC 600 V AC		**52AATG□B** **52AATH□B** **52AATJ□B** **52AATK□B**	
Cluster LED	Class 52	120 V AC 240 V AC 480 V AC 600 V AC		**52AATG□Y** **52AATH□Y** **52AATJ□Y** **52AATK□Y**	
Incandescent bulb	Class 52	120 V AC 240 V AC 480 V AC 600 V AC		**52AATG** **52AATH** **52AATJ** **52AATK**	



Technical Specifications
on page 10/169A

Color options:

red	**2**
green	**3**
yellow/amber	**4**
blue	**5**
white/clear	**B**

**Note: Cluster LED only available in red, green and yellow